TECHNICAL DATA FOR TIPPING CONTAINERS

- Tipping containers are the industry's best tool for waste sorting, waste and material handling.
- Designed, reinforced and powder coated to provide maximum safety and service life.
- Spring pressure plate on the base frame for automatic emptying.
- Also with manual tipping.
- Other sizes are manufactured on request.

TIPPO have reinforcements in the right places in order to deal with rough truck handling.

- Corner reinforcements raise the stiffness of the containers.
- Reinforced fork channels.
- The stop lug is well dimensioned in order to deal with the forces it can be exposed to.

7KH DXWRPDWLF WLSSLQJ IXQFWLRQ GRHV QRW RQO\ SURYLGH JUHDWHU HI; FLHQF\ LW emptying at greater heights as TIPPO cannot slide from the forks.

Tipping containers are exceptionally suited to waste sorting.

They can be supplied in colours as recommended by the public waste collection service.






Item No	10015	10030	10060	10090	10110	10160	10200	10250	10300
, G H Q W L ¿ F	DTV/p/plo P1500	Tippo 300	Tippo 600	Tippo 900	Tippo 1100	Tippo 1600	Tippo 2000	Tippo 2500	Tippo 3000
9ROXPH F	X E D.FF5	0.3	0.6	0.9	1.1	1.6	2.0	2.5	3.0
Volume Litre	130	320	520	765	1030	1340	1700	2050	2500
Length mm	815	1235	1525	1525	1700	2073	2073	2073	2073
Width mm	760	840	865	1215	1215	1066	1316	1566	1866
Height mm	580	750	870	870	1045	1248	1248	1248	1248
Weight kg	55	80	101	122	157	205	253	288	321
&DSDFLW	N J1200	1500	2000	2000	2000	2000	2000	2000	2000

Sizes from 150 litres up to and including 1600 litres have the following base

frame dimensions:
A=160 mm, B=230 mm, C=630 mm, D=100 mm.
Sizes from 2000 litres up to and including 3000 litres have the following base frame dimensions:

A=560 mm, B=230 mm, C=1035 mm, D=100 mm.



ACCESSORIES FOR TIPPING CONTAINERS

Item No	19030	19031	19040	19041	19042	19046
, GHQWL tion	¿ FVIDheel set nylon 150 mm	Wheel set solid rubber 160 mm	Fork lock	Spacer heels for handling with stacking trucks	Spacer heels for wheels when handling with stacking trucks	Net - crane – tight welding for liquid separation

Wheel set with spacers



Fork lock



Distance heels



ACCESSORIES: FLAT COVER TO OPEN TIPPING CONTAINER. **CAN EASILY BE RETROFITTED.**

Item No	12021	12041	12076	12111	12131	12171	12221	12271	12301
)ODW FRYH	H UTippe 150	Tippo 300	Tippo 600	Tippo 900	Tippo 1100	Tippo 1600	Tippo 2000	Tippo 2500	Tippo 3000



TIPPING CONTAINERS WITH HIGH COVER



dimensions: A=160 mm, B=230 mm, C=630 mm, D=100 mm.

Sizes from 2200 litres up to and including 2700 litres have the following base frame dimensions: A=560 mm, B=230 mm, C=1035 mm, D=100 mm.

Item No	11020	11040	11075	11110	11130	11170	11220	11270
, G H Q W L ¿ F D	W L TL 2 00	TL 400	TL 750	TL 1100	TL 1300	TL 1700	TL 220	TL 2700
9ROXPH FXE	LF 0.2	0.4	0.75	1.1	1.3	1.7	2.2	2.7
Volume Litre	130	320	520	770	1030	1350	1700	2050
Length mm	815	1235	1525	1525	1700	2073	2073	2073
Width mm	780	860	880	1230	1230	1080	1330	1580
Height mm	900	1110	1295	1295	1545	1845	1845	1845
Weight kg	90	140	175	240	260	330	350	430
&DSDFLW\	J 1200	1500	2000	2000	2000	2000	2000	2000